(1) GENERAL INFORMATION:

(i) APPLICANT: Beach, David H.

Demetrick, Douglas J.

Serrano, Manuel

Hannon, Gregory J.

(χ i) TITLE OF INVENTION: Cell-Cycle Regulatory Proteins, and Uses Related Thereto

(iii) NUMBER OF SEQUENCES: 34

(iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: Foley, Hoag & Eliot
- (B) STREET: One Post Office/Square
- (C) CITY: Boston
- (D) STATE: MA
- (E) COUNTRY: USA
- (F) ZIP: 02109

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: WordPad

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER: US 09/016,869
- (B) FILING DATE: 30-JAN-1998

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/893,274
- (B) FILING DATE: 15/JUL-1994

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/306,511
- (B) FILING DATE: 1/4-SEP-1994

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/248,812
- (B) FILING DATE: 25-MAY-1994

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/227,371
- (B) FILING DATE: 14-APR-1994

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATI ϕ N NUMBER: US 08/154,915
- (B) FILING DATE: 18-NOV-1993

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/991,997
- (B) FILING DATE: 17-DEC-1992

TECH CENTER ISON STATES

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Vincent, Matthew P. (B) REGISTRATION NUMBER: 36,709 (C) REFERENCE/DOCKET NUMBER: MIV-071.10 (ix) TELECOMMUNICATION INFORMATION: (A) TELEPHONE: (617) 832-1299 (B) TELEFAX: (617) 832-7000 (2) INFORMATION FOR SEQ ID NO:1: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 994 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: both (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 41..508 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: CGGAGAGGGG GAGAACAGAC AACGGGCGGC GGGGAGCAGC ATG GAT CCG GCG GCG Met Asp Pro Ala Ala GGG AGC AGC ATG GAG CCT TCG GCT GAC TGG C/TG GCC ACG GCC GCG GCC 103 Gly Ser Ser Met Glu Pro Ser Ala Asp Trp Leu Ala Thr Ala Ala Ala 15 CGG GGT CGG GTA GAG GAG GTG CGG GCG CTG/CTG GAG GCG GTG GCG CTG 151 Arg Gly Arg Val Glu Glu Val Arg Ala Leu Leu Glu Ala Val Ala Leu 25 30 CCC AAC GCA CCG AAT AGT TAC GGT CGG AGG CCG ATC CAG GTC ATG ATG 199 Pro Asn Ala Pro Asn Ser Tyr Gly Arg Arg Pro Ile Gln Val Met Met 45 ATG GGC AGC GCC CGA GTG GCG GAG CTG/CTG CTG CTC CAC GGC GCG GAG 247 Met Gly Ser Ala Arg Val Ala Glu Lev Leu Leu His Gly Ala Glu 55 60 65 CCC AAC TGC GCC GAC CCC GCC ACT CTC ACC CGA CCC GTG CAC GAC GCT 295 Pro Asn Cys Ala Asp Pro Ala Thr Leu Thr Arg Pro Val His Asp Ala 75 80 GCC CGG GAG GGC TTC CTG GAC ACG /CTG GTG GTG CTG CAC CGG GCC GGG 343 Ala Arg Glu Gly Phe Leu Asp Thr/Leu Val Val Leu His Arg Ala Gly 95 GCG CGG CTG GAC GTG CGC GAT GCC TGG GGC CGT CTG CCC GTG GAC CTG 391 Ala Arg Leu Asp Val Arg Asp A¼a Trp Gly Arg Leu Pro Val Asp Leu 105 110 GCT GAG GAG CTG GGC CAT CGC GAT GTC GCA CGG TAC CTG CGC GCG GCT 439 Ala Glu Glu Leu Gly His Arg Asp Val Ala Arg Tyr Leu Arg Ala Ala 125 130 GCG GGG GGC ACC AGA GGC AGT AAC CAT GCC CGC ATA GAT GCC GCG GAA 487 Ala Gly Gly Thr Arg Gly Ser Asn His Ala Arg Ile Asp Ala Ala Glu 140 GGT CCC TCA GAC ATC CCC GAT TGAAAGAACC AGAGAGGCTC TGAGAAACCT 538 Gly Pro Ser Asp Ile Pro Asp

150 CGGGAAACTT AGATCATCAG TCACCGAAGG TCCTACAGGG CCACAACTGC CCCCGCCÁCA 598 ACCCACCCG CTTTCGTAGT TTTCATTTAG AAAATAGAGC TTTTAAAAAT GTCCTGCTT 658 TTAACGTAGA TATAAGCCTT CCCCCACTAC CGTAAATGTC CATTTATATC ATTTTTATA 718 TATTCTTATA AAAATGTAAA AAAGAAAAAC ACCGCTTCTG CCTTTTCACT GTGTTGGAGT 778 TTTCTGGAGT GAGCACTCAC GCCCTAAGCG CACATTCATG TGGGCATTTC TTGCGAGCCT 838 CGCAGCCTCC GGAAGCTGTC GACTTCATGA CAAGCATTTT GTGAACTAGG GAAGCTCAGG 898 GGGGTTACTG GCTTCTCTTG AGTCACACTG CTAGCAAATG GCAGAACCAA AG¢TCAAATA 958 AAAATAAAAT TATTTTCATT CATTCACTCA AAAAAA 994

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 156 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Asp Pro Ala Ala Gly Ser Ser Met Glu Pro Ser Ala Asp Trp Leu 10 Ala Thr Ala Ala Ala Arg Gly Arg Val Glu Glu Val Arg Ala Leu Leu Glu Ala Val Ala Leu Pro Asn Ala Pro Asn Ser Tyr Gly Arg Arg Pro 40 Ile Gln Val Met Met Gly Ser Ala Arg Val/Ala Glu Leu Leu Leu 55 60 Leu His Gly Ala Glu Pro Asn Cys Ala Asp Pro Ala Thr Leu Thr Arg Pro Val His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val Leu His Arg Ala Gly Ala Arg Leu Asp Val Arg Asp Ala Trp Gly Arg 105 Leu Pro Val Asp Leu Ala Glu Glu Leu G/1y His Arg Asp Val Ala Arg 120 125 Tyr Leu Arg Ala Ala Ala Gly Gly Thr/Arg Gly Ser Asn His Ala Arg 135 Ile Asp Ala Ala Glu Gly Pro Ser Asp Ile Pro Asp 150 155

- (2) INFORMATION FOR SEQ ID NO:3
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 837 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDMA
 - (ix) FEATURE:
 - (A) NAME/KEY: ¢DS
 - (B) LOCATION: /328..738
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CACC	יא פיייני	ree e	70700	ימייים	ים כז	ערריי	ימרמי	י ררי	CACC	יפפר	יירידים	באמכיז	ירם נ	стас	сттос	G 60
CCCT	יאכונ יאכננ	יפר יו	րփփփվ Իսագրան	יכככי	AG AZ	CCD	ייים המכינים מדררים	A GGC	'GCGC	CCG	CTGG	TTCT	TG A	AGCGC	CAGG	A 120
מממ	בררר	מבו	מרים:	CGAC	יר מנ	CCGC	TCGO	CAC	TGC	CGG	GGCC	CCAA	GC (CGCAC	ayAga	A 180
GGAC	GACC	igg i	AGGGT	TAATO	A AC	CTG	AGCCC	AGO	TCTC	CTA	GGAZ	AGGAG	AG A	AGTG	cccc	3 240
AGCA	GCGT	rgg (GAAAC	AAGO	G A	AGAG	rgrcc	TT	AGTI	TAC	GGC	CAACO	GT (GAT	TATCC	3 300
GGCC	GCTC	GCG (CGTCI	rggg	3G C7	rgcgo	A A	rg co	GC GF	AG GA	AG AA	AC AF	G G	GC A	rG	351
												sn Ly				
								1				5				
CCC	AGT	GGG	GGC	GGC	AGC	GAT	GAG	GGT	CTG	GCC	ACG	CCG	GCG	/CGG	GGA	399
Pro	Ser	Gly	Gly	Gly	Ser	Asp	Glu	Gly	Leu	Ala	Thr	Pro	Ala/	Arg	Gly	
	10					15					20		/			
CTA	GTG	GAG	AAG	GTG	CGA	CAC	TCC	TGG	GAA	GCC	GGC	GCG	GAT	CCC	AAC	447
Leu	Val	Glu	Lys	Val	Arg	His	Ser	Trp	Glu	Ala	Gly	Ala	Asp	Pro		
25					30					35		/	/		40	
GGA	GTC	AAC	CGT	TTC	GGG	AGG	CGC	GCG	ATC	CAG	GTC	ATG	ATG	ATG	GGC	495
Gly	Val	Asn	Arg		Gly	Arg	Arg	Ala		Gln	Val	Met	Met		GIY	
				45					50					55		E 4 3
			GTG													543
Ser	Ala	Arg	Val	Ala	Glu	Leu	Leu		Leu	His	GIY	Ата		Pro	Asn	
			60					65	~~~		a. 1	a	70	000	aaa	591
			CCT													231
Cys	Ala	_	Pro	Ala	Thr	Leu		Arg	Pro	vaı	Hys		Ата	Ala	Arg	
~~~	~~~	75	ama	a	T 00	ama	80	ama	CITIC	CA C	dec.	85 CCC	ccc	aca	CGG	639
GAG	GGC	TTC	CTG Leu	GAC	ACG	CTG	GIG	GIG	CIG	CAC	722	712	Clv	712	Ara	037
GIU		Pne	Leu	Asp	Thr	ьец 95	vai	val	пеп	HIS/	100	нта	GIY	AIA	n. a	
ama	90	CTC	CGC	CNT	GCC		ССТ	ССТ	СТС	cch		GAC	ጥጥር	GCC	GAG	687
Len	Agn	U21	Arg	Agn	Δla	Trn	Glv	Ara	Leu	Pro	Val	Asp	Leu	Ala	Glu	
105	АБР	Val	ALG	Аор	110	115	Gry	**** 9		1/15					120	
	CGG	GGC	CAC	CGC		GTT	GCA	GGG	TAC	<b>ETG</b>	CGC	ACA	GCC	ACG	GGG	735
			His													
014		U-1		125				2	130		_			135		
GAC	TGA	CGCC	AGG :		CCAG	CC G	CCCA	CAAC	G AC	TTTA	TTTT	CTT	ACCC	TAA		788
Asp									/						r	
															TO THE	( LE 1
TTC	CCAC	CCC	CACC	CACC'	TA A'	TTCG	ATGA	A GG	orgco	CAAC	GGG	GAGC	<b>G</b>		Miss	.8,3,7
								,	/							MIN. Of Low
(2)	INF	ORMA	TION	FOR	SEQ	ID I	NO:4	: /							,	MV OF THE SAME
								/								CENTER INVINER
		(i)	SEQU:												T	CH CENLEH INTHITION
									acid	S					•	
			/ TD	ነ ጥህ	DV.	amin.	0 20	i/d								

# (2) INFORMATION FOR SEQ ID NO:4:

- (A) LENGTH: 137 amino acids
- (B) TYPE: amino aci√d
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: prot/ein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Arg Glu Glu Asn Lys Gly Met Pro Ser Gly Gly Gly Ser Asp Glu Gly Leu Ala Thr Pro Ala Ang Gly Leu Val Glu Lys Val Arg His Ser Trp Glu Ala Gly Ala Asp pro Asn Gly Val Asn Arg Phe Gly Arg Arg 40 Ala Ile Gln Val Met Met/Met Gly Ser Ala Arg Val Ala Glu Leu Leu Leu Leu His Gly Ala Gl/u Pro Asn Cys Ala Asp Pro Ala Thr Leu Thr



Arg Pro Val His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val Leu His Arg Ala Gly Ala Arg Leu Asp Val Arg Asp Ala Trp/Gly 105 Arg Leu Pro Val Asp Leu Ala Glu Glu Arg Gly His Arg Asp Va/1 Ala 120 Gly Tyr Leu Arg Thr. Ala Thr Gly Asp 130 (2) INFORMATION FOR SEQ ID NO:5: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 853 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: both (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 213..587 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5: GGAGTACAGC AGCGGGAGCA TGGGTCGCAG GTTCTTGGTQ ACTGTAAGGA TTCAGCGCGC 60 GGGCCGCCCA CTCCAAGAGA GGGTTTTCTT GGTGAAGTTC GTGCGATCCC GGAGACCCAG 120 GACAGCGAGC TGCGCTCTGG CTTTCGTGAA CATGTTGTTG AGGCTAGAGA GGATCTTGAG 180 AAGAGGGCCG CACCGGAATC CTGGACCAGG TG ATG/ATG ATG GGC AAC GTT CAC 233 Met Met Met Gly Asn Val His GTA GCA GCT CTT CTG CTC AAC TAC GGT ¢CA GAT TCG AAC TGC GAG GAC 281 Val Ala Ala Leu Leu Leu Asn Tyr Gly Ala Asp Ser Asn Cys Glu Asp 15 10 CCC ACT ACC TTC TCC CGC CCG GTG CAC GAC GCA GCG CGG GAA GGC TTC 329 Pro Thr Thr Phe Ser Arg Pro Val His Asp Ala Ala Arg Glu Gly Phe 25 CTG GAC ACG CTG GTG CTG CAC GGG TCA GGG GCT CGG CTG GAT GTG 377 Leu Asp Thr Leu Val Val Leu His/Gly Ser Gly Ala Arg Leu Asp Val 40 CGC GAT GCC TGG GGT CGC CTG CCG CTC GAC TTG GCC CAA GAG CGG GGA 425 Arg Asp Ala Trp Gly Arg Leu Pro Leu Asp Leu Ala Gln Glu Arg Gly 60 65 CAT CAA GAC ATC GTG CGA TAT TTG CGT TCC GCT GGG TGC TCT TTG TGT 473 His Gln Asp Ile Val Arg Tyk Leu Arg Ser Ala Gly Cys Ser Leu Cys TCC GCT GGG TGG TCT TTG TGT ACC GCT GGG AAC GTC GCC CAG ACC GAC 521

Ser	Ala	Gly 90	Trp	Ser	Leu	Сув	Thr 95	Ala	Gly	Asn	Val	Ala 100	Gln	Thr	Asp			
									AGG Arg								56	9
			GAG Glu			TAA	ATCC(	GCC :	rcag(	CCCG	CC T	rttt(	CTTC:	7			61	7
rago	CTTC	ACT :	CTA	GCGAT	rg C	ragco	GTGT	C TAC	GCAT	STGG	CTT	AAAT	AAA :	raca:	TAAT.	AA	67	7
rgc:	TTTT	TTT (	GCAA:	CAC	GG G	AGGG	AGCA	G AG	GGAG	GAG	CAG	AAGG	GG (	GAGG	GAGG	GA	73	7
GGG <i>I</i>	AGGGI	ACC :	rgga(	CAGG	AA AC	GGAA'	rggc:	A TG	AGAA	ACTG	AGC	BAAG	GCG (	GCCG	CGAA	.GG	79	7
GAA:	TAATO	GC :	rgga:	rtgt:	T A	AAAA	AATA	A AA	TAAA	GATA	CTT	rt/raz	AAA ?	rgtc <i>i</i>	A.A.		85	3
(2)	TNFC	RMAC	rion	FOR	SEO	ID I	NO : 6	:			,							
	ı	(i) £	(B)	LEI TYI		: 12: amin	5 am: o ac:	ino a id	: acid:	3	//							
	( )	ii) r	MOLE	CULE	TYPI	E: p	rote	in			′							
	()	ci) S	SEQUI	ENCE	DESC	CRIP	rion	: SE	Q ID	NO: 6	5:							
Met 1	Met	Met	Gly	Asn 5	Val	His	Val	Ala	Ala 10	I/eu	Leu	Leu	Asn	Tyr 15	Gly			
Ala	Asp	Ser	Asn 20	Cys	Glu	Asp	Pro	Thr 25	Thr	Phe	Ser	Arg	Pro 30	Val	His			
Asp	Ala	Ala 35	Arg	Glu	Gly	Phe	Leu 40	Asp	Thr	Leu	Val	Val 45	Leu	His	Gly			
Ser	Gly 50	Ala	Arg	Leu	Asp	Val 55	Arg	Asp	Ala	Trp	Gly 60	Arg	Leu	Pro	Leu			
Asp 65	Leu	Ala	Gln	Glu	Arg 70	Gly	His	Glh	Asp	Ile 75	Val	Arg	Tyr	Leu	Arg 80			
Ser	Ala	Gly	Cys	Ser 85	Leu	Сув	Ser	Ala	Gly 90	Trp	Ser	Leu	Cys	Thr 95	Ala			
3ly	Asn	Val	Ala 100	Gln	Thr	Asp	Gly	His 105	Ser	Phe	Ser	Ser	Ser 110	Thr	Pro			
Arg	Ala	Leu 115	Glu	Leu	Arg	Gly	Gln 1/20	Ser	Gln	Glu	Gln	Ser 125						
(2)	INFO	ORMA	rion	FOR	SEQ	ID 1	0:7	:										

	(i)	( <i>I</i> (E	A) LI B) TY C) ST	engti (PE : [Rani	HARAC H: 23 nucl DEDNI DGY:	B1 ba Leic ESS:	ase p acid	pair: d	3						/	
	(ii)	MOI	ECUI	LE T	YPE:	CDN	A									
	(ix)	FE <i>F</i>	TURI	Ξ:												
					KEY: ION:		231					,				
	/	O TO C	, , , , , , , , , , , , , , , , , , ,	ים בו	an an	r DELT	<b>- 1</b>	050	FD 37/	<b>5.7.</b>						
			-					SEQ :								
	CTC Leu															48
1				5					10			/		15		
	CGC Arg															96
_	_		20					25	-			_	30			
	CTG Leu										,					144
CTT	ACC .	35 AGA	ር ር ር	GTG.	CNC	GAC	40 CCD	ርርጥ	ccc	CDD	GGC	45	רידוני	GNC	A CG	192
	Thr															1,72
רידים	50 GTC	GTG	СТС	CAC	CGG	55 GCA	GGG	GCG	CGG	TTG	60 GAT	GTG				231
Leu	Val				Arg					Leu						
65					70					/75						
(2)	INFO	RMAT	NOI	FOR	SEQ	ID 1	8:01	:	/	/						
	(	i) S	EQUE	ENCE	CHAI	RACTI	ERIS'	rics	: /							
					NGTH:			no ad id	cids							
					POLO											
	(i	i) M	OLE	ULE	TYPE	E: pi	rote:	in	/							
	(x	i) S	EQUE	ENCE	DESC	RIP	rion	: Spec	) ID	NO : 8	3:					
71-												Nan	7.~~	Dho	<b>~1</b>	
1	Leu	Беп	Giu	A1a 5	GIĀ	Ala	Asp		10	Ald	пеп	ASII	Arg	15	GIY	
Ara	Arg	Pro	Tle	Gln	Val	Met	Met	Met	Glv	Ser	Δla	Δrα	Val	Δla	Glu	
3	5		20				/	25	<b></b> 1	501			30			
Leu	Leu	Leu	Leu	His	Gly	Ala	Gl⁄u	Pro	Asn	Cys	Ala	Asp	Pro	Ala	Thr	
		35					<b>4</b> 0			_		45				
neu	Thr .	ALG	PLO	vdl	uis	Asp 55	HIA	HIG	Arg	GIU	60 G1Y	Pne	ьец	Asb	III	
Len	Val	Va]	Len	His	Ara	Ala	/ _{Glv}	Ala	Ara	Len	Asn	۷al				
65					70		1		- <b></b> 5	75						
(2)	INFO	RMAT	CION	FOR	SEQ	10/1	10 : 9	:								

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 303 amino acids
  - (B) TYPE: amino acid(D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (v) FRAGMENT TYPE: N-terminal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Met Ala Thr Ser Arg Tyr Glu Pro Val Ala Glu Ile Cly Val Gly Ala

1 10 15

Tyr Gly Thr Val Tyr Lys Ala Xaa Asp Pro His Ser Gly His Phe Val

Ala Leu Lys Ser Val Arg Val Pro Asn Gly Gly Gly Gly Gly Gly 35

Leu Pro Ile Ser Thr Val Arg Glu Val Ala Leu Arg Arg Leu Glu
50 55 60

Ala Phe Glu His Pro Asn Val Val Arg Leu Met Asp Val Cys Ala Thr
65 70 75 80

Ser Arg Thr Asp Arg Glu Ile Lys Val Thr Leu Val Phe Glu His Val

Asp Gln Asp Leu Arg Thr Tyr Leu Asp Lys Ala Pro Pro Pro Gly Leu 100 105

Pro Ala Glu Thr Ile Lys Asp Leu Met Arg Gln Phe Leu Arg Gly Leu 115 120 125

Asp Phe Leu His Ala Asn Cys Ile Val His Arg Asp Leu Lys Pro Glu 130 135

Asn Ile Leu Val Thr Ser Gly Gly Thr Val Lys Leu Ala Asp Phe Gly 145 150 155

Leu Ala Arg Ile Tyr Ser Tyr/Gln Met Ala Leu Thr Pro Val Val Val 175

Thr Leu Trp Tyr Arg Ala Pro Glu Val Leu Leu Gln Ser Thr Tyr Ala 180 185 190

Thr Pro Val Asp Met Trp Ser Val Gly Cys Ile Phe Ala Glu Met Phe
195 200 205

Arg Arg Lys Pro Leu Phe Cys Gly Asn Ser Glu Ala Asp Gln Leu Gly 210 215 220

Lys Ile Phe Asp Lev Ile Gly Leu Pro Pro Glu Asp Asp Trp Pro Arg 225 235

Asp Val Ser Leu Pro Arg Gly Ala Phe Pro Pro Arg Gly Pro Arg Pro 245 250 255

Val Gln Ser Val Val Pro Glu Met Glu Glu Ser Gly Ala Gln/Leu Leu 260 265 279

Leu Glu Met Leu Thr Phe Asn Pro His Lys Arg Ile Ser Ala Phe Arg 275 280 285

Ala Leu Gln His Ser Tyr Leu His Lys Asp Glu Gly Asn/Pro Glu 290 295 300

# (2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 326 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (v) FRAGMENT TYPE: N-terminal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Met Glu Lys Asp Gly Leu Cys Arg Ala Asp cln Gln Tyr Glu Cys Val

Ala Glu Ile Gly Glu Gly Ala Tyr Gly Lys Val Phe Lys Ala Xaa Asp

Leu Lys Asn Gly Gly Arg Phe Val Ala Heu Lys Arg Val Arg Val Gln 35 40 45

Thr Gly Glu Glu Gly Met Pro Leu Ser Thr Ile Arg Glu Val Ala Val
50 55 60

Leu Arg His Leu Glu Thr Phe Glu His Pro Asn Val Val Arg Leu Phe 65 70 75 80

Asp Val Cys Thr Val Ser Arg Thr Asp Arg Glu Thr Lys Leu Thr Leu 85 90 95

Val Phe Glu His Val Asp Gln Asp Leu Thr Thr Tyr Leu Asp Lys Val

Pro Glu Pro Gly Val Pro Thr/Glu Thr Ile Lys Asp Met Met Phe Gln
115 120 125

Leu Leu Arg Gly Leu Asp Phe Leu His Ser His Arg Val Val His Arg 130 135 140

Asp Leu Lys Pro Gln Asn Tle Leu Val Thr Ser Ser Gly Gln Ile Lys 145 150 155 160

Leu Ala Asp Phe Gly Leu Ala Arg Ile Tyr Ser Phe Gln Met Ala/Leu 165 170 175

Thr Ser Val Val Val Thr Leu Trp Tyr Arg Ala Pro Glu Val Leu
180 185 190

Gln Ser Ser Tyr Ala Thr Pro Val Asp Leu Trp Ser Val Gly/Cys Ile
195 200 205

Phe Ala Glu Met Phe Arg Arg Lys Pro Leu Phe Arg Gly Ser Ser Asp 210 215 220

Val Asp Gln Leu Gly Lys Ile Leu Asp Val Ile Gly Leu/Pro Gly Glu 225 230 235

Glu Asp Trp Pro Arg Asp Val Ala Leu Pro Arg Gln Ala Phe His Ser 245 250 255

Lys Ser Ala Gln Pro Ile Glu Lys Phe Val Thr Asp/Ile Asp Glu Leu 260 265 270

Gly Lys Asp Leu Leu Leu Lys Cys Leu Thr Phe Asn Pro Ala Lys Arg
275 280 285

Ile Ser Ala Tyr Ser Ala Leu Ser His Pro Tyr Phe Gln Asp Leu Glu 290 295 300

Arg Cys Lys Glu Asn Leu Asp Ser His Leu Pro Pro Ser Gln Asn Thr 305 310 315 320

Ser Glu Leu Asn Thr Ala 325

#### (2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 85 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
  - (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ/ID NO:11:

Met Met Met Gly Xaa Xaa Xaa Yal Ala Xaa Leu Leu Leu Xaa Xaa Gly
1 10 15

Ala Xaa Xaa Asn Cys Xaa Asp Pro Xaa Thr Xaa Xaa Xaa Arg Pro Val

His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val Leu His 35 40 45

Xaa Xaa Gly Ala Arg Leu Asp Val Arg Asp Ala Trp Gly Arg Leu/Pro 50 55 60

Xaa Asp Leu Ala Xaa Glu Xaa Gly His Xaa Asp Xaa Xaa Xaa Tyr Leu 65 70 75 80

Arg Xaa Ala Xaa Gly 85

### (2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 157 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Met Asp Pro Ala Ala Gly Ser Ser Met Glu Pro Ser Ala Asp Trp Leu

1 5 10 15

Ala Thr Ala Ala Ala Arg Gly Arg Val Glu Val Arg Ala Leu Leu
20 25 30

Glu Ala Val Ala Leu Pro Asn Ala Pro Asn Ser Tyr Gly Arg Arg Pro

Ile Gln Val Met Met Met Gly Xaa Xaa Val Ala Xaa Leu Leu Leu 50 55 60

Xaa Xaa Gly Ala Xaa Xaa Asn Cys/Xaa Asp Pro Xaa Thr Xaa Xaa Xaa 65 70 75 80

Arg Pro Val His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val 85 90 95

Val Leu His Xaa Xaa Gly Ala Arg Leu Asp Val Arg Asp Ala Trp Gly
100 105 110

Arg Leu Pro Xaa Asp Leu Ala Xaa Glu Xaa Gly His Xaa Asp Xaa Xaa 115 120 125

Xaa Tyr Leu Arg Xaa Ala Xaa Gly Gly Thr Arg Gly Ser Asn His Ala 130 135 140

Arg Ile Asp Ala Ala Ślu Gly Pro Ser Asp Ile Pro Asp

145 150 155

#### (2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 138 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Met Arg Glu Glu Asn Lys Gly Met Pro Ser Gly Gly Gly Ser Asp Glu

1 5 10 15

Gly Leu Ala Thr Pro Ala Arg Gly Leu Val Glu Lys Val Arg His Ser

Trp Glu Ala Gly Ala Asp Pro Asn Gly Val Asn Arg Phe Gly Arg Arg 35 40 45

Ala Ile Gln Val Met Met Gly Xaa Xaa Xaa Val Ala Xaa Leu Leu 50 55 60

Leu Xaa Xaa Gly Ala Xaa Xaa Asn Cys Xaa/Asp Pro Xaa Thr Xaa Xaa 65 70 75 80

Xaa Arg Pro Val His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu 85 90 95

Val Val Leu His Xaa Xaa Gly Ala Arg Leu Asp Val Arg Asp Ala Trp
100 105 110

Gly Arg Leu Pro Xaa Asp Leu Ala Xaa Glu Xaa Gly His Xaa Asp Xaa 115 120 125

Xaa Xaa Tyr Leu Arg Xaa Ala Xaa Gly Asp 130 135

#### (2) INFORMATION FOR SEQ ID NO/:14:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 127 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS/
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Met Met Met Gly Xaa Xaa Xaa Val Ala Xaa Leu Leu Leu Xaa Xaa Gly
1 5 10 15

Ala Xaa Xaa Asn Cys Xaa Asp Pro Xaa Thr Xaa Xaa Xaa Arg Pro Val

His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val Leu His
35 40 45

Xaa Xaa Gly Ala Arg Leu Asp Val Arg Asp Ala Trp Gly Arg Leu Pro
50 55 60

Xaa Asp Leu Ala Xaa Glu Xaa Gly His Xaa Asp Xaa Xaa Xaa Tyr Leu 65 70 80

Arg Xaa Ala Xaa Gly Cys Ser Leu Cys Ser Ala Gly Trp Ser Leu Cys
85
90
95

Thr Ala Gly Asn Val Ala Gln Thr Asp/Gly His Ser Phe Ser Ser Ser 100 105 110

Thr Pro Arg Ala Leu Glu Leu Arg Cly Gln Ser Gln Glu Gln Ser

- (2) INFORMATION FOR SEQ ID NO:15:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 17 amino ac/ids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: peptiáe
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Val Ala Glu Ile Gly Xaa ely Ala Tyr Gly Xaa Val Xaa Lys Ala Arg Asp

- (2) INFORMATION FOR SEQ ID NO:16:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 6 amino acids

(B) TYPE: amino acid(C) STRANDEDNESS:(D) TOPOLOGY: linear

(11) MODECOLE 11PE: peptide	,
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:	
Val Xaa Lys Ala Arg Asp 1 5	
(2) INFORMATION FOR SEQ ID NO:17:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 4 amino acids  (B) TYPE: amino acid  (C) STRANDEDNESS:  (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: peptide	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:	
Lys Ala Arg Asp	
(2) INFORMATION FOR SEQ ID NO:18:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 960 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ TO NO:18:	
CGGAGAGGGA ATTCGGCACGA GGCAGCATG CAGCCTTCGG CTGACTGGCT GGCCACGGCC	60
GCGGCCCGGG GTCGGGTAGA GGAGGTGCGG GCGCTGCTGG AGGCGGTGGC GCTGCCCCAA	120
CGCACCGAAT AGTTACGGTC GGAGGCCGAT CCAGGTCATG GATGATGGGC AGCGCCCCGA	180
GTGGCGGAGC TGCTGCTGCT CCACGGCGCG GAGCCCAACT GCGCCGACCC CGCCACTCTC	240
ACCCGACCC TGCACCACGC TGCCCGGGAG GGCTTCTGGA CACGCTGGTG GTGCTGCACC	300
GGGCCGGGGC GCGCTGGAC GTGCGCGATG CCTGGGGCCG TCTGCCCGTG GACCTGGCTG	360
AGGAGCTGGG CCATCGCGAT GTCGCACGGT ACCTGCGCGC CCGTGCGGGG GGCACCAGAG	420

GCAGTAACCA	TGCCCGCATA	GATGCCGCGG	AAGGTCCCTC	AGACATCCCC	GATTGAAAGA	480
ACCAGAGAGG	CTCTGAGAAA	CCTCGGGAAA	CTTAGATCAT	CAGTCACCGA	AGGTCCTACA	540
GGGCCACAAC	TGCCCCCGCC	ACAACCCACC	CCGCTTTCGT	AGTTTTCATT	TAGAAAATAG	600
AGCTTTTAAA	AATGTCCTGC	CTTTTAACGT	AGATATAAGC	CTTCCCCCAC	TACCGTAAAT	660
GTCCATTTAT	ATCATTTTT	ATATATTCTT	ATAAAAATGT	AAAAAAAGAA	AAACACCGCT	720
TCTGCCTTTT	CACTGTGTTG	GAGTTTTCTG	GAGTGAGCAC	TCACGCCCTA	AGCGCACATT	780
CATGTGGGCA	TTTCTTGCGA	GCCTCGCAGC	CTCCGGAAGC	TGTCGACTTC	ATGACAAGCA	840
TTTTGTGAAC	TAGGGAAGCT	CAGGGGGGTT	ACTGGCTTCT	CTTGAGTCAC	ACTGCTAGCA	900
AATGGCAGAA	CCAAAGCTCA	АТААААТА	AAATTATTTT	CATTCATTCA	СТСАААААА	960

# (2) INFORMATION FOR SEQ ID NO:19:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 334 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19/:

GGNGGNAAGN TGTGGGGGAA AGTTTGGGGA TGGAANACCA ANCCCTCCTT TCNTTACCAA 60

ACNCTGGCTC TGNCGAGGCT NCNTCCGANT GGTNCCCCCG GGGGAGACCC AACCTGGGNC 120

GACTTCAGGG NTGCNACATT CATTCACTAA GTGCTNGGAG NTAATANCAC CTCCTCCGAG 180

CANNGACAGG NTCGGAGGGG GCTCTTCCCC CANCACCGGA GGAAGAAAGA GGAGGGNCTN 240

CGGAGAGGGG GAGAACAGAC AACGGGCGGC GGGGAGCAGC ATGGATCCGG CGGCGGGAG 300

CAGCATGGAN CCTTCGACTG ACTGACTGCC TCGC 334

# (2) INFORMATION FOR SEQ ID NO:20:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 368 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS:/single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: CONA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:	20:	,	
TCNCTTATTG NTAGGANATA ATAACACCTC CACCGATA	C TTCACTTACA	ACGTCCCNNT	60
TCCTGGAAAG ATACACAGCG TTCCCTCCAG AGGATTTG	rg ggacagggtn	GGAGNGGTCT	120
CTTCCNCCAC CACCGGAGGA AGAAAGAGGA GGGGCTGN	CT GTTCACCAGA	GGGTGGGACG	180
GACCNCGTAC GCTCGNCGNC TNCGGAGAGG GGGAGAGCA	AT CANCGGNCGN	CGGGGAGCAA	240
CATGGAACCG NCGGCGGGGA GCAGCATGGA NCCTTCGG	CT GACTGGCTGN	CCACGNCCAC	300
GNCCCGGGGT CGGGTAGAGG AGGTGCGGNC GCTNCTGGA	AG GCGGGGNCTC	TGNCCAACNC	360
GCTAAAAN	,	/	368
(2) INFORMATION FOR SEQ ID NO:21:			
(i) SEQUENCE CHARACTERISTICS:			
(A) LENGTH: 404 base pairs (B) TYPE: nucleic acid			
(C) STRANDEDNESS: single	/		
(D) TOPOLOGY: linear	/		
(ii) MOLECULE TYPE: cDNA			

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

GACNNNCTCC GGCCGGNGTC GGGTAGAGGA GGTGCGGCG CTGCTGGAGG CGGGGGCGCT 60
GCCCAACGCA CCGAATAGTT ACGGTCGGAG GCCGATCCAG GTNNGGGTAG AGGGTCTGCA 120
GCGGGAGCAG GGGATGGCGG GCGACTCTGG AGGACGAAGT TTGCAGGGGA ATTGGAATCA 180
GGTAGCGCTT CGATTCTCCN GAAAAAGGGG AGGCTTCCTG GGGAGTTTTC AGAAGGGGTT 240
TGTAATCACA GACCTCCTCC TGGCGACGTC CTGGGGGCTT GGGAAGCCAA GGAAGAGGAA 300
TNAGGAGCCA CGCGCGTACG AGTCTCTCGA ATGCTGAGAA GATCTNAAGG GGGGAACATA 360
TTTGTATTAG CNTCCAAGTN TNCTCTNYAT CANATACAAA NTNC 404

### (2) INFORMATION FOR SEQ ID NO:22:

- (i) SEQUENCE CHARACTÉRISTICS:
  - (A) LENGTH: 401 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDWESS: single
  - (D) TOPOLOGY/: linear
- (ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:	
CTCTNANCCC GGGTAGAGGG TCTGCAGCGG GAGCAGNGGA TGGCGGGCGA CTCTGCAGGA	60
CGAAGTTGGC AGGGGAATTG GAATCAGGTA GCGCTTCGAN TCTCCGGAAA AAGGGGAGGC	120
TTCCTGGGGA GTTNNCAGAA GGGGTTTGTA ATCACAGNCC TCCNCCTGGC GACCCCTGG	180
GGGGTTGGGA AGCCAAGGAA GAGGAATGAG GAGNCACGCG CNTACAGNTC TCTCGAATNC	240
TGANAAGATC TGAAGGGGGG AACATATTTG TATTAGNATN NAAGTATGCT CTTTATCAGA	300
ragaaaattc acgaacgtgt ggnataaaaa gggagtctta aagaaatnta agatgtgctg	360
GGACTACTTA GCCTCCAANA CACAGATNCC TGGATGGAGC T	401
(2) INFORMATION FOR SEQ ID NO:23:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 459 base pairs	
(B) TYPE: nucleic acid /	

(ii) MOLECULE TYPE: cDNA

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

AAAANNAAA AAAATCTCCC AGGCCTAACA TAATTNTCAG GAAAGAAATT TCAGTAGTTG 60 NATCTCAGGG GAAATACAGG AAGTTAGCCT GGAGTAAAG TCAGTGTGTC CCTGCCCCTT 120 TGCTANATTG CCCGTGCCTC ACAGTGCTCT CTGCCAGTGA CGACAGCTCC NCAGAAGTTC 180 GGAGGATATA ATGGAATTCA TTGTGTACTG AAGAATGGAT AGAGAACTCA AGAAGGAAAT 240 TGGAAACTGG AAGCAAATGT AGGGGTAATT AGACACCTGG GGCTTCTGTG GGGGTCTGCT 300 TGGCGGTGAG GGGGCTCTAC ACAAGCTTCC T/TTCCGTCAT GCCGNCCCCC ACCCTGGCTC 360 TGACCATTCT GTTCTCTCTG GCAGGTCATG/ATGATGGGCA GCGCCCGAGG CGCGGAGCTG 420 CTGCTGCTCC ACGGCGCGGA GCCCACTGCT CCGACGCCG 459

#### (2) INFORMATION FOR SEQ ID NO. 24:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 390 base pairs
  - (B) TYPE: nuclei¢ acid
  - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24: AANAAAAAG AAATNGATAA NATAGAGGAA TGAACANATT AAAATCAAAA AACANAACÁN 60 AGACATAATA AAAAACGAGA ATGTTCTAGA CNTAATCATA ATTATAAAGC TCAAGA⊄TCA 120 TTGATATNAA GGADATTGAA GGGAAATCTT AACTAGCACA ANNGNATNAA AAAANÁATTC 180 CCACGACACC GCCACTCTCA ACGCATCCGT GCTCGACACT GCCCGGGAGG TCNTCCTGGA 240 CACGCTGGTG GTNCTCCACC GGNCCGGGGC ACGTCTGGAC GTGCGCGATG COTGGGNCCG 300 NCTACCCGTG GTACCTGACT GAGGACCTGG GCCATCCCGA TTTCGCNGGG TANCTCNNGN 360 GGCTGNGGGG GCCAANAGAG GNCANTACCC 390 (2) INFORMATION FOR SEQ ID NO:25: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 214 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO/25: CCTGCNACGA CCCCGCCACT CTCACCCGAC CCGTG\( \sqrt{A}CGA CGCTGTCCGG GAGGGTTTCC \) 60 TGGACACGCT GGTGGTGCTG CACCGGGCCG GGGNGCGGTT GGACGTGCGC GATGCCTGGG 120 GCCGCCTNCC CGTGGNACCT GGTTGAGGAG CTGGGNCATC GCGATGTCGC ACGGTACCTG 180 CGCGCGTTGC GGGGGGCACC AGAGGNNAGT NACC 214 (2) INFORMATION FOR SEQ ID NO: 26: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 235 base pairs (B) TYPE: nuclei $\dot{c}$  acid (C) STRANDEDNESS: single (D) TOPOLOGY: Linear (ii) MOLECULE TYPE / cDNA

	/
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:	/
NCTCTCACGG TGGGGAGGCC AACTGCGCCG AACCCGCCAC TCTCACCCGA CCCGCGCACG	60
ACGGTGCCCG GGAGGGGTTC CTGGACACGC TGGTGGTGCT GCACCGGGCC GGGGCGCGGC	120
TGGACGTTCG NGATGCCTGG GGGNTCTNTC CGTNGNACCT GGCTGAAGAG CTGGNNCATC	180
GNGATGTCGC ACGGCCNCTG TGTGNGGNTG CGGGGGGCAC CATAGGTCAG TNTCC	235
(2) INFORMATION FOR SEQ ID NO:27:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 573 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:	
NAAGTATGAG CGAAACNAAT TGTGGTTTGA GAANAGGNAA TCGTAGGGAA CTTCGGGATC	60
CCNCNGGGAN CNCCAGAACC TGAGNCGCCN ATTGGAAATN ACAAACTGNC TGNATCACTC	120
CGNACCAGGT NCAAAAGATA CCTGGGGANG CGGGAAGGGA AAGACNACAT CNAGACCGCC	180
TTCGCNCCTN GGNATTGTGA GCAGCCTCTG AGACTCATIN ATATNACACT CTCGTNTTTC	240
TTCTTACAAC CCTGCGGNCC GCGCGGTCGC GCTTTCTCTG CCCTCCGCCG GGTGGACCTG	300
GAGCGCTTGA GCGGTCGGCG CGCCTGGAGC AGCCAGGCGG NCAGTGGACT AGCTGCTGGA	360
CCAGGGAGGT GTGGGAGAGC GGTGGCGGCG GGTACATGCA CGTGAAGCCA TTGCGAGAAC	420
TTTATCCATA AGTATTTCAA TACCGGTAGG GACGGCAAGA GAGGAGGGCG GGATGTGCCA	480
CACATCTTTG ACCTCAGGTT TCTAACGCCT GTTTTCTTTC TGCCCTCTGC AGACAACCCC	540
CGATTGAAAG AACCAGAGAG GCTCTGAGAA ACC	573
(2) INFORMATION FOR SEQ ID NO:28:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 434 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	

(ii) MOLECULE TYPE: cDNA

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28: CCCCATCGCG CCTTGGGANT GTGAGCNACC ATTGAGACTC ATNAATATAG CACTCGTTTT 60 TCTTCTTGCA ACCCTGCCCN CCGCGCGGTC GCGCTNTCTC TGCCCTCCGC NGGGTGGACC 120 TEGAGCGAGC GCTTGAGCGG TCGGTCGGCG CNCCTGGANC AGCCAGGCGG GCAGTGGACT 180 ACCTNCTGGA CCAGGGACCT GTGGGAGAGC GGTGNCGGCG GGTACATGCA /CGTGAAGCCA 240 TTGCGAGAAC TTTATCCATA AGTATTTCAA TGCCGGTAGG GACGGCAAGÁ GAGGAGGCG 300 GGATGINCCA CACATCITTG ACCICAGGIT TCTAACGCCT GITTICITTC TGCCCTCTGC 360 AGACATCCCC GATTGAAAGA ACCAGAGAGG CTCTGAGAAA CCTCCGGAAA CTTAGNTCAT 420 CANTCGCCGN AAAA 434

#### (2) INFORMATION FOR SEQ ID NO:29:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 502 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA

# (xi) SEQUENCE DESCRIPTION: SEQ/ID NO:29:

AGAAATTAGA TCATCAGTCA CCGATCCTCC/TACAGGGNCA CAACTGNCCC CGCCACAACC 60 CACCCCGNTT TCGTAGTTTT CATTTAGAÁA ATAGAGCTTT TAAAAATGTC CTGCCTTTTA 120 ACGTAGATAT ATGCCTTCCC CCACTAØCGN AAATGTCCAT TTATATCATN TTTTATATAT 180 TCTTATAAAA ATGTAAAAAA GAAAAACACC GCTTCTGCCT TTTCACTGTG TTGGAGTTTT 240 CTGGAGTGAG CACTCACGCC CTAAGCGCAC ATTCATGTGG GCATTTCTTG CGAGCCTCGC 300 AGNCTCCGGA AGCTGTCGAC OTCGAGGGGG GGNCCGGTAC CCAATTCGCC CTATAGTGAG 360 TCGTATTACA ATTCACTGGN/ CGNCGNTTTT ACAACGTCGG TGGACTGGGA AAACCCCGGN 420 GTTACCCAAC TTTAATCGÁC TTGGAGGACA TCCCCCTTTT CGCCAGNTGG GGTTATAGNG 480 AAGAGGGCCN CACCNNTCGC CC 502

#### (2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:

NGAGTCCACT ATTAAAGANC GTAGNCTCNA ACGTCANAGG GCGAAAAACC NTNTTTCAGN 480
GGATTGGNCC ACTACGCNTA NCCATCACCC TATTC 515

# (2) INFORMATION FOR SEQ ID NO:32:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 89 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Ile Gln Val Met Met Met Gly Ser Ala Arg Val Ala Glu Leu Leu Leu 1 5 10 15

His Gly Ala Glu Pro Asn Cys Ala Asp Pro Ala Thr Leu Thr Arg Pro Val

His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val Leu His Arg
35 40 45 50

Ala Gly Ala Arg Leu Asp Val Arg Asp Ala Trp Gly Arg Leu Pro Val Asp
55 60 65

Leu Ala Glu Glu Leu Gly His Arg Asp Val Ala Arg Tyr Leu Arg Ala Ala
70 75 80 85

Ala Gly Gly Thr

# (2) INFORMATION FOR SEQ ID NO:33:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 88 amino acids
  - (B) TYPE: aming acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: / linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

Ile Gln Val Met Met Gly Ser Ala Arg Val Ala Glu Leu Leu Leu

•

**°** 5

10

15

His Gly Ala Glu Pro Asn Cys Ala Asp Pro Ala Thr Leu Thr Arg Pro Val

His Asp Ala Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val Leu His Arg
35 40 50

Ala Gly Ala Arg Leu Asp Val Arg Asp Ala Trp Gly Arg Leu Pro Val Asp
55 60 65

Leu Ala Glu Glu Arg Gly His Arg Asp Val Ala Gly Tyr Leu Arg Thr Ala
70 75 80

Thr Gly Asp

# (2) INFORMATION FOR SEQ ID NO:34:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 85 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ/ID NO:34:

Met Met Met Gly Asn Val His Val Ala Ala Leu Leu Leu Asn Tyr Gly Ala 1 5

Asp Ser Asn Cys Glu Asp Pro/Thr Thr Phe Ser Arg Pro Val His Asp Ala 20 25

Ala Arg Glu Gly Phe Leu Asp Thr Leu Val Val Leu His Gly Ser Gly Ala 40 45 50

Arg Leu Asp Val Arg Asp Ala Trp Gly Arg Leu Pro Leu Asp Leu Ala Gln 55 60 65

Glu Arg Gly His Glm Asp Ile Val Arg Tyr Leu Arg Ser Ala Gly Cys Ser
70 75 80 85

# US 090168690PP1



Creation date: 09-08-2003

Indexing Officer: KNGUYEN6 - KIM NGUYEN

Team: OIPEBackFileIndexing

Dossier: 09016869

Legal Date: 07-12-1999

No.	Doccode	Number of pages
1	A	3

Total number of pages: 3

Remarks:

Order of re-scan issued on .....